

TD-D32A

IP Video Intercom Outdoor Station



Product Functions



Password
Unlock



Card Unlock



QR Code
Unlock



Remote
Control



Automatic Door
Status Detection



Visitor
Message



Video
Intercom



Camera
Surveillance



Elevator
Linkage



Trudian Community
Management Center
Platform

Product Features

Display: Features a 4.3" LCD screen and digital mechanical buttons.

Unlocking Options: Offers various methods for unlocking, including intercom, password, cards, QR codes, and remote control via cloud platform.

Security Functions: Includes video intercom, camera surveillance, elevator linkage, and automatic detection of door status.

Communication: Allows visitors to leave messages and photos.

Integration: Compatible with Trudian Community Management Center Platform for remote control and management.


Product Specifications

Button	mechanical button
Screen	4.3" LCD
Access Control	digital standard IC network access control
Power Supply	12V
Standby Current	230mA
Working Current	250mA
Working Temperature	-40°C~70°C
Working Humidity	10%~90%
OS	Linux
Memory	64MB
Flash	8MB
Resolution	480*272
Camera	2 million pixels
Reading Distance	0~6mm
Card Capacity	unlimited (read and write sectors)
Installation Method	embedded
Appearance Size	353x130x60mm
Wall Buried Size	340x122x52mm
Remote Online System Upgrade	yes
Basic Functions	video intercom, camera surveillance, elevator linkage
Unlocking	facial recognition, intercom, password, card (IC card, CPU card, ID card), QR code, cloud platform remote control
Alarm	automatic detection of door opening and closing status
Visitors Leave Messages and Photos	yes
Trudian Community Management Center Platform	yes


Product Size



Product Components



Wiring Diagram



Website: www.trudian.com/en/
 Address: Farbell Technology Park, Yixian Road, Nanlang, Cuiheng New District, Zhongshan City, Guangdong Province, China. Zip Code: 528451
 Phone: +86-0760-23689666
 E-mail: sales@trudian.net

Scan Here to Follow Trudian's Latest News

